



OHY 50
Dough Kneading Machine



OHY 30
Dough Kneading Machine

Double Reductor

- Double reductor, upper reductor has two speed, bottom reductor has single speed.
- The ideal machine for kneading all types of dough (pita, pizza, pastry, baklava, börek doughs)
- Bowl, safety guard and mixing tools are made off stainless steel
- Automatic shut off if the safety guard is opened during mixing operation
- It operates without noise and vibration.
- Main body is electrostatic powder coated.

	TYPE	CODE	MODEL	L	W	H	POWER	CAP. kg.	VOL.	WEI.	m ³	PRICE
	OHY 30 TF	0820.00030.11	ELEC	560	820	1070	1.27 kW	30	TF 400V. 3NPE / 50Hz.	130 kg.	0.53 m ³	
	OHY 50 TF	0820.00050.11	ELEC	620	920	1120	2.15 kW	50	TF 400V. 3NPE / 50Hz.	188 kg.	0.66 m ³	

Speed Controlling by Frequency Inverter



OM 10    
Planet Mixer (FC)

- Main body, mixing tools and bowl are made of stainless steel.
- 3 different tools for beating, mixing, kneading
- It operates with speed control inverter and It can operate in different speeds between 40-160 tour minutes.
- It operates without noise and vibration.
- The safety guard is switch controlled

OM 20    
Gearbox Mixer (FC)

- Gearbox system
- Machine with three gears 40-80-160 d/min
- Easy control system
- Mixing tools and bowl are stainless steel
- Main body is electrostatic powder coated
- It operates without noise and vibration.
- 3 different tools for beating, mixing, kneading
- Machine stops automatically when adjusted time is over
- The safety guard is switch controlled



	TYPE	CODE	MODEL	L	W	H	POWER	CAP.	VOL.	WEI.	m ³	PRICE
	OM 10 MF	0810.00010.14	ELEC	430	470	630	0.55 kW	10	MF 220V. NPE / 50Hz.	48 kg.	0.2 m ³	
	OM 20 TF	0810.00020.01S	ELEC	500	550	820	0.75 kW	20	TF 400V. 3NPE / 50Hz.	95 kg.	0.3 m ³	

FC: FREQUENCY CONTROLLING

MF: MONOPHASE

TF: THREEPHASE

Mechanical Controlling



OM 40 Planet Mixer (TF)

OM 20 Planet Mixer (TF / MF)



Bowl Lock Detail



OM 60 Planet Mixer (TF)

- All mixing tools and bowl are stainless steel.
- Main body is electrostatic powder coated.
- 3 different tools for beating, mixing, kneading
- It operates without noise and vibration.
- Mechanical speed variator.
- Machine works with a variator control system three phase models with speed of 40-160 spe./ min., monophase models with speed of 55-160 spe./min.
- 0-90 minute timer.
- Automatically stops when adjusted time is over.
- The safety guard is switch controlled.

	TYPE	CODE	MODEL	L	W	H	POWER	CAP.	VOL.	WEI.	m³	PRICE
	OM 20 TF	0810.00020.01	ELEC	600	620	1000	0.55 kW	20	TF 400V. 3NPE / 50Hz.	108 kg.	0.4 m³	
	OM 20 MF	0810.00020.04	ELEC	600	620	1000	0.55 kW	20	MF 220V. NPE / 50Hz.	108 kg.	0.4 m³	
	OM 40 TF	0810.00040.01	ELEC	640	730	1170	1.1 kW	40	TF 400V. 3NPE / 50Hz.	170 kg.	0.6 m³	
	OM 60 TF	0810.00060.01	ELEC	660	820	1240	1.5 kW	60	MF 400V. 3NPE / 50Hz.	190 kg.	0.76 m³	

MF: MONOPHASE

TF: THREEPHASE

Converting Chart of the Accessories

TYPE	CODE	20LT./ 10LT. Mixer 10 Lt. Mixer Tools for 20 Lt. Mixer	PRICE	40LT./ 20LT. Mixer 20 Lt. Mixer Tools for 40 Lt. Mixer	PRICE	60LT./40LT. Mixer 40 Lt. Mixer Tools for 60 Lt. Mixer	PRICE
BOWL	CODE/KOD	2810.20010.00		2810.40020.00		2810.60040.00	
MIXING TOOL	CODE/KOD	2810.20010.01		2810.40020.01		2810.60040.01	
KNEADING TOOL	CODE/KOD	2810.20010.02		2810.40020.02		2810.60040.02	
BEATING TOOL	CODE/KOD	2810.20010.03		2810.40020.03		2810.60040.03	



OMG 20    
Gearbox Control Mixer



OMG 40    
Gearbox Control Mixer



OMG 60    
Gearbox Control Mixer

- Gearbox transmission system
- Increased mixing capacity
- Easily adjustable speed
- Wider rpm scale (40-160) spe/min.
- All mixing tools and bowl are stainless steel
- Main body is electrostatic powder coated.
- 3 different tools for beating, mixing kneading
- It operates without noise and vibration.
- 0-90 minute timer
- Automatically stops when adjusted time is over.
- The safety guard is switch controlled

	TYPE	CODE	MODEL	L	W	H	POWER	CAP. Lt.	VOL.	WEI.	m ³	PRICE
	OMG 20 TF	0810.00020.03	ELEC	590	620	1020	0.55 kW	20	400V 3NPE / 50Hz.	135 kg.	0.4 m ³	
	OMG 40 TF	0810.00040.03	ELEC	630	710	1300	1.1 kW	40	400V 3NPE / 50Hz.	185 kg.	0.68 m ³	
	OMG 60 TF	0810.00060.03	ELEC	660	800	1300	1.5 kW	60	400V 3NPE / 50Hz.	220 kg.	0.82 m ³	

Bowl



Beating Tool



Mixing Tool



Kneading Tool



Standard Accessories

TYPE	CODE	OM 10	PRICE	OM 20	PRICE	OM 40	PRICE	OM 60	PRICE
BOWL	CODE	2810.00010.31		2810.00020.06		2810.00040.06		2810.00060.06	
MIXING TOOL	CODE	2810.00010.13		2810.00020.50		2810.00040.49		2810.00060.14	
KNEADING TOOL	CODE	2810.00010.08		2810.00020.49		2810.00040.48		2810.00060.13	
BEATING TOOL	CODE	2810.00010.16		2810.00020.53		2810.00040.52		2810.00060.17	