



OFG 4065
Single Gas Fryer Over Bench With
Double Burner



OFG 7065
Double Gas Fryer Over Bench With
Double Burner

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Safety thermostat
- Monoblock frying tank
- Thermostatic regulation of oil temperature
- Natural Gas or LPG Compatible
- Drain pipe with push and turn safety mechanism
- Piezo ignition
- Pilot light
- Safety gas valve with thermocouple
- Hygienic
- French fries production capacity:
4065...14kg/hr
7065...14+14 kg/hr
- Frying time 3,5 minutes

Gas Fryers Over Bench

	TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	CAP.	WEI.	m³	PRICE
	OFG 7065 gas.fry.	7856.80653.14	GAS Sec. Ventil	800	650	300	4x3.5=14 kW	110° - 190°	12 lt. + 12 lt.	32 kg.	0.3 m³	
	OFG 4065 gas.fry.	7856.40653.04	GAS Sec. Ventil	400	650	300	2x3.5=7 kW	110° - 190°	12 lt.	20 kg.	0.19 m³	



OFA 4065
Single Electric Fryer Over Bench



OFA 7065
Double Electric Fryer Over Bench

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Monoblock frying tank
- Thermostatic regulation of oil temperature
- Safety thermostat
- Safety switch
- Drain pipe with push and turn safety mechanism
- Hygienic
- French fries production capacity:
4065...14kg/hr
7065...14+14 kg/hr
- Frying time 3 minutes

Electrical Fryers With Lift Up Heating Elements

	TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	CAP.	VOL.	WEI.	m³	PRICE
	OFA 7065 elec.fry.	7856.70653.21	ELEC	700	650	300	14.5 kW	60° - 190°	8 lt. + 8 lt.	400V / 50Hz.	27 kg.	0.29 m³	
	OFA 4065 elec.fry.	7856.40653.11	ELEC	400	650	300	7.2 kW	60° - 190°	8 lt.	400V / 50Hz.	17 kg.	0.19 m³	



OMF 4065    
Electric Pasta Cooker Over Bench

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Monoblock water basin with a capacity of 20L
- Water inlet tap
- Heat up (20-100°C) 18 min
- Production capacity 13kg/hr
- Cooking time 5-10 min

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	CAP.	WEI.	m ³	PRICE
 OMF 4065 pas.cook.	7858.40653.11	ELEC	400	650	300	5.5 kW	110°	400V / 50Hz.	20 lt.	19 kg.	0.19 m ³	

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Porcelain heating element



OPD 4065    
Electric French Fry Warmer Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OPD 4065 hea.chip./pat.din.	7831.40653.01	ELEC	400	650	300	1 kW	65°	220V-240V / 50Hz.	15 kg.	0.19 m ³	



OGPG 4065 PS
Single Gas Grill Plate Over Bench



OGPG 7065 1/2 N PS
Double Gas Grill Plate Over Bench

- Even heat distribution on the cooking surface
- Piezo ignition
- Removable fat collection drawer
- Heat up (20-200°C) 12 min
- Cooking area:
 - 4065...19 dm²
 - 7065...34 dm²
- Hamburger production capacity (Meat Ø100):
 - 4065...12 kg/hr
 - 7065...24 kg/hr
- Cooking time 6 minutes
- Optional hard chrome coated cooking surface

- Stainless steel external panels
- Natural Gas or LPG compatible
- Choice of cooking surface: Smooth ,half ribbed or fully ribbed versions are available
- Pilot light
- Easy to clean
- Adjustable legs
- Thermostatic temperature control between 100-300°C
- High performance
- Independently controlled cooking zones with two gas valves

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	WEI.	m³	PRICE
Double Grill Plate Over Bench (Groove)										
OGPG 7065 N PS dou.gr.pl.	7864.70653.13	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	PLATE 39.5 x 48.5 cm.
OGPG 7065 N PS dou.gr.pl.	7864.70653.13C	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	PLATE 69.5 x 48.5 cm.
Double Grill Pl. Ov. B. (SmoothGroove)										
OGPG 7065 1/2N PS dou.gr.pl.	7864.70653.16	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	Hard chrome coated
OGPG 7065 1/2N PS dou.gr.pl.	7864.70653.16C	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	Hard chrome coated
Double Grill Plate Over Bench (Smooth)										
OGPG 7065 PS dou.gr.pl.	7864.70653.19	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	Hard chrome coated
OGPG 7065 PS dou.gr.pl.	7864.70653.19C	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	Hard chrome coated
Single Grill Plate Over Bench (Groove)										
OGPG 4065 N PS sin.gr.pl.	7864.40653.03	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	Hard chrome coated
OGPG 4065 N PS sin.gr.pl.	7864.40653.03C	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	Hard chrome coated
Single Grill Plate Over Bench										
OGPG 4065 PS sin.gr.pl.	7864.40653.06	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	Hard chrome coated
OGPG 4065 PS sin.gr.pl.	7864.40653.06C	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	Hard chrome coated



OGP 7065 1/2 N
 Double Electric Grill Plate Over Bench



OGP 4065
 Single Electric Grill Plate Over Bench

- Even heat distribution on the cooking surface
- Removable fat collection drawer
- Heat up (20-200°C) 12 min
- Cooking area:
 - 4065...19dm²
 - 7065...34dm²
- Hamburger production capacity (Meat Ø100):
 - 4065...12kg/hr
 - 7065...24kg/hr
- Cooking time 6 minutes
- Optional hard chrome coated cooking surface
- Stainless steel external panels
- Choice of cooking surface: Smooth ,half ribbed or fully ribbed versions are available
- Easy to clean
- Adjustable legs
- Thermostatic temperature control between 50-300°C
- High performance
- Independently controlled cooking zones

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE	
Double Grill Plate Over Bench (Groove)												
OGP 7065 N	7864.70653.11	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³		PLATE 39.5 x 48.5 cm.
OGP 7065 N C	7864.70653.11C	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³		PLATE 69.5 x 48.5 cm. Hard chrome coated
Double Grill Pl. Ov. B. (SmoothGroove)												
OGP 70651/2N	7864.70653.14	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³		
OGP 70651/2N C	7864.70653.14C	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³		Hard chrome coated
Double Grill Plate Over Bench (Smooth)												
OGP 7065	7864.70653.17	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³		
OGP 7065 C	7864.70653.17C	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³		Hard chrome coated
Single Grill Plate Over Bench (Groove)												
OGP 4065 N	7864.40653.01	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³		
OGP 4065 N C	7864.40653.01C	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³		Hard chrome coated
Single Grill Plate Over Bench												
OGP 4065	7864.40653.04	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³		
OGP 4065 C	7864.40653.04C	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³		Hard chrome coated



OSOG 4065 PS
Gas Cooker With Two Burners Over Bench



OSOG 6065 PS
Gas Cooker With Four Burners Over Bench



- Stainless steel external panels
- Safety gas valve with thermocouple
- Natural Gas or LPG compatible
- Pilot light
- Easy to clean
- Adjustable legs
- Piezo ignition
- Ergonomic design
- Aluminium burners

Cooker With Four Burner Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	m ³	PRICE
OSOG 6065 PS four.burn.	7865.60653.25	GAS Sec. Ventil	600	650	300	2x3.8+2x3=13.6 kW	26 kg.	0.29 m ³	

Cooker With Double Burner Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	m ³	PRICE
OSOG 4065 PS dou.burn.	7865.40653.23	GAS Sec. Ventil	400	650	300	3+3.8=6.8 kW	20 kg.	0.19 m ³	



OSOG 8065 P
Gas Cooker With Four Burners Over Bench



OSOG 4065 P
Gas Cooker With Two Burners Over Bench

- Stainless steel external panels
- Safety gas valve with thermocouple
- Natural Gas or LPG compatible
- Pilot light
- Easy to clean
- Adjustable legs
- Piezo ignition
- Ergonomic design
- Cast iron burners

Gas Cooker

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	m ³	PRICE
OSOG 8065 P gas.cook.	7865.80653.35	GAS Sec. Ventil	800	650	300	4x4=16 kW	44 kg.	0.33 m ³	
OSOG 4065 P gas.cook.	7865.40653.33	GAS Sec. Ventil	400	650	300	2x4=8 kW	25 kg.	0.19 m ³	



OSO 6065 CE UAT 95T PG 100%


Electric Cooker With Four Hot Plates Over Bench

- Stainless steel external panels
- Easy to clean
- Hygienic
- Cast iron heating element
- Temperature control with 6 position selector switch
- Adjustable legs
- Ergonomic design




OSO 4065 CE UAT 95T PG 100%

Electrical Cooker With Double Hot Plates Over Bench



OIN 4065 CE UAT 95T PG 100%

Induction Cooker



OIN 8065 CE UAT 95T PG 100%

Induction Cooker

Cooker With Four Hot Plates Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OSO 6065 four.plt./dort.oc.	7865.60653.14	ELEC.	600	650	300	4x2.6=10.4 kW	450°	400V. / 50Hz.	29 kg.	0.29 m ³	



4x2.6 (Ø 22 cm)=10.4 kW

Cooker With Double Hot Plates Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OSO 4065 dou.plt./iki.ocak.	7865.40653.12	ELEC.	400	650	300	2x2.6=5.2 kW	450°	400V. / 50Hz.	16 kg.	0.19 m ³	



2x2.6 (Ø 22 cm)=5.2 kW

Induction Cooker

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OIN 4065	7865.40653.IN	ELEC.	400	650	300	3.5 kW	30 - 260 °C	220-240V. / 50Hz.	-	0.21 m ³	
 OIN 8065	7865.80653.IN	ELEC.	800	650	300	2x3.5 kW	30 - 260 °C	400V. / 50Hz.	-	0.38 m ³	



1 x 3.5 kW


2 x 3.5 kW



OLIG 4065 PA
Gas Lavastone Grill Over Bench



OLIG 7065 PA
Gas Lavastone Grill Over Bench



Standart 'V' Type

- Stainless steel external panels
- Easy to clean
- Hygienic
- Safety gas valve with thermocouple
- Natural Gas or LPG compatible
- Adjustable legs
- Piezo ignition
- Pilot light
- Ergonomic design
- Removable fat collection drawer
- Height adjustable and removable "V" shaped stainless steel grates
- Optional hinged grate to prevent fat dripping and flare-ups







Optional: Avoid flame by optional hinged fat flame stopper!

	TYPE	CODE	MODEL	L	W	H	POWER	WEI.	m³	PRICE
	OLIG 7065 PA lav.grill.	7864.70653.20	GAS Sec. Ventil	700	650	300	2x7=14 kW	54 kg.	0.29 m³	
	OLIG 4065 PA lav.grill.	7864.40653.12	GAS Sec. Ventil	400	650	300	7 kW	29 kg.	0.19 m³	



ODIG 6065 PG SE CE-1783
Chargrill

- Stainless steel external panels
- Easy to clean
- Hygienic
- Heavy duty
- Natural Gas or LPG compatible
- Water tray to prevent smell
- Pilot light
- Safety gas valve with thermocouple
- Easy to clean grill surface
- Cast iron protection over each burner
- Optional cooking grid with round rods



TYPE	CODE	MODEL	Dimension (mm)			Power (kW)	Gas Consumption m ³ /h	Gas Inlet Con.	PRICE
			L	W	H				
ODIG 6065	7864.60653.70	GAS	600	650	370	16	2.12	1/2 "	
ODIG 6075	7864.60753.70	GAS	600	750	370	20	2.12	1/2 "	
ODIG 8075	7864.80753.70	GAS	800	750	400	25	2.65	3/4 "	
ODIG 9090	7864.90902.70	GAS	900	900	450	30	3.18	3/4 "	
ODIG 12090	7864.12902.70	GAS	1200	900	450	40	4.24	3/4 "	



OKTEI 60 Indirect Boiling Pan

Monoblock Bowl



- Indirect heating systems
- Round monoblock boiling pan
- Lid with counter balanced mechanism for easy opening
- High quality thermal insulation of the pan for energy saving
- Energy regulation through a control knob on the front panel
- Draining valve on the front
- Safety valve with manometer to avoid overpressure of the steam in the jacket
- External valve to evacuate manually excess air accumulated in the jacket during heating phase.
- Heating elements fitted inside the jacket cavity base with safety thermostat

TYPE	CODE	MODEL	L	W	H	POWER	VOL.	CAP.	WEI.	m³	PRICE
OKTEI 60 indirekt	7855.07065.01	ELEC.	700	650	850	9 kW	400V / 50Hz.	60 lt.	84 kg.	0.78 m³	

Hilton - Abu Dhabi




OFOG 7065 P   1009 
Gas Range With Oven



OFOG 8065 P   1009 
Gas Range With Oven

- Stainless steel body
- Safety gas valve with thermocouple
- Easy to clean
- Hygienic
- GN 1/1 oven size
- Available for LPG or Natural Gas
- Long life
- Heavy duty top cast iron
- Oven thermostat adjustment from 100°C to 300°C
- Oven shelves are removable
- Pilot flame
- Ergonomic design
- Isolated oven
- Removable wire tray size GN 1/1

!Gas ranges can be used both with electrical and gas oven.



Oven Dimension GN 1/1


TYPE	CODE	MODEL	L	W	H	BURNER kW	OVEN kW	POWER	WEI.	 m³	PRICE
 OFOG 7065 P range	7865.07658.00	GAS Sec.Ventil	700	650	850	2x3+2x3.8	5	18.6 kW	71 kg.	0.69 m³	
 OFOG 8065 P range	7865.08658.10	GAS Sec.Ventil	800	650	850	4x4	5	21 kW	105 kg.	0.77 m³	





OFO 7065 14.4

Electrical Range



!Electrical ranges can be used both with gas and electrical oven.

- Stainless steel body
- Easy to clean
- Hygienic
- GN 1/1 oven size
- Cast iron heating element
- 6 position switch to control resistance
- Adjustable legs
- Long life
- Oven thermostat adjustment from 50°C to 300°C
- Oven top resistance can be operated together seperately
- Oven shelves are removable
- Ergonomic design
- Isolated oven
- Removable wire tray size GN 1/1

$4 \times 2,6 (\varnothing 22 \text{ cm}) + 4 (\text{Oven Fin}) = 14,4 \text{ kW}$

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	WEI.	IN.VOL.	m ³	PRICE
OFO 7065 14.4 range	7865.07658.02	ELEC	700	650	850	4x2.6=14.4 kW	450°	73 kg.	400V / 50Hz.	0.69 m ³	



OSBG 7065 CE-1009
Gas Sauce Bain-Marie Over Bench



OSBG 4065 CE-1009
Gas Sauce Bain-Marie Over Bench




OSB 4065 CE-1009
Electrical Sauce Bain-Marie




OSB 7065 CE-1009
Electrical Sauce Bain-Marie Over Bench

- Easy to clean
- Stainless Steel body
- Hygienic
- Stainless Steel burner(for gas models)
- Piezoelectric ignition(for gas models)
- Safety gas valve with thermocouple (for gas models)
- Available for LPG or Natural Gas (for gas models)
- Ergonomic design
- Adjustable legs
- Long life
- All models are supplied with water drainage



OSB 4065
OSBG 4065



OSB 7065
OSBG 7065

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	 m³	PRICE
Sauce Bain Marie Over Bench									
 OSBG 7065 sauc.bain.	7854.70653.13	GAS Sec. Ventil	700	650	300	2.5 kW	33 kg.	0.29 m³	
Sauce Bain Marie Over Bench									
 OSBG 4065 sauc.bain.	7854.40653.13	GAS Sec. Ventil	400	650	300	1.5 kW	19 kg.	0.19 m³	

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	WEI.	VOL.	 m³	PRICE
Sauce Bain Marie Over Bench											
 OSB 7065 sauc.bain.	7854.70653.11	ELEC	700	650	300	2 kW	30 - 90°	32 kg.	220V-240V/50Hz.	0.29 m³	
Sauce Bain Marie Over Bench											
 OSB 4065 sauc.bain.	7854.40653.11	ELEC	400	650	300	1 kW	30 - 90°	18 kg.	220V-240V/50Hz.	0.19 m³	



OAT 7065
Working Bench

- Stainless steel body
- Ergonomic design
- Hygienic
- Long life
- Adjustable legs



OAT 4065
Working Bench

TYPE	CODE	L	W	H	WEI.	m ³	PRICE
OAT 7065 Work Bench/Ara tezgah	7911.70653.00	700	650	300	14 kg.	0.29 m ³	
OAT 4065 Work Bench/Ara tezgah	7911.40653.00	400	650	300	9 kg.	0.19 m ³	

Counter Type Cold Units

- Stainless steel body
- Ergonomic design
- Hygienic
- Long life
- Adjustable legs



Standart Counter Type Refrigerators With Door For Cooking Lines

TYPE	CODE	MODEL	L	W	H	Capacity	Refrigeration Temp.	Total Power	IN.VOL.	WEI.	m ³	PRICE
 CTA 260.01 NTS	7919.26NTS.C1	ELEC.	600	1420	600	101 lt.	-2 / +8 °C	0.51 kW	220V./50Hz.	80 kg.	0.89 m ³	
 CTA 460.01 NTS	7919.36NTS.C1	ELEC.	600	1880	600	160 lt.	-2 / +8 °C	0.40 kW	220V./50Hz.	112 kg.	1.19 m ³	


NTS: Static refrigeration at regular temperature.

Underneath Cupboards

CODE	L	W	H	WEI.	m ³	PRICE
7876.40605.00	400	600	550	11 kg.	0.21 m ³	
7876.60605.00	600	600	550	14 kg.	0.30 m ³	
7876.70605.00	700	600	550	16 kg.	0.35 m ³	
7876.80605.00	800	600	550	17 kg.	0.39 m ³	

Underneath Benches 

CODE	L	W	H	WEI.	m ³	PRICE
7876.40605.10	400	580	550	8 kg.	0.21 m ³	
7876.60605.10	600	580	550	11 kg.	0.30 m ³	
7876.70605.10	700	580	550	13 kg.	0.35 m ³	
7876.80605.10	800	580	550	15 kg.	0.39 m ³	



* 2 pieces are necessary for one appliance.

** Avoid flame by optional hinged fat flame stopper.

Patented

TYPE	CODE	APPLIANCE	PRICE
1- BASKET	6260.00072.31	Gas fryer	
2- BASKET	6260.00072.19	Elec. fryer	
3- BASKET	0339.01313.01	Elec. pasta cooker	
4- SEPET	0339.02808.01	Elec. pasta cooker	
5- OIL TANK FILTER	6260.00072.12	Gas fryer	
6- OIL TANK FILTER	6260.00072.13	Elec. fryer	
7- FLAME REDUCER	2865.00009.01	Gas range	
8- SHELF	6019.00005.27	Elec.and gas range	
9- JOIN PART	7380.59527.80	Appliances	
10- GRILL	2864.65400.IZ for 4065	Lavastone grill	
10- GRILL	2864.65700.IZ for 7065	Lavastone grill	
11- BASKET	0339.00013.01	Elec. pasta cooker	
** 12- GRILL	2864.65401.IZ for 4075	Hinged fat flame stopper	
** 12- GRILL	2864.65701.IZ for 8075	Hinged fat flame stopper	