



PSM 10 TSEK CE UAT 2015 IEC TÜV-CB
Potato Peeler



PSM 20 CE PG TÜV
Potato Peeler



PSM 30 CE UAT 2015 IEC TÜV-CB
Potato Peeler

- Stainless steel body
- Timer stops the machine automatically when adjusted time is over
- Compatible with HACCP requirements
- The engine is thermic protected
- Evacuation from the front lid
- It peels and washes the potatoes automatically
- PSM 10 model; peels 10 kg. potatoes per minute,
PSM 20 model peels 20 kg. potatoes per minute
PSM 30 model peels 30 kg. potatoes per minute



	TYPE	CODE	MODEL	L	W	H	POWER	CAP. Lt.	VOL.	WEI.	m ³	PRICE
	PSM 10 TF	0840.00010.11	ELEC	400	720	920	0.75 kW	10 kg.	400V 3NPE / 50Hz.	41 kg.	0.36 m ³	
	PSM 10 MF	0840.00010.14	ELEC	400	720	920	0.75 kW	10 kg.	220V NPE / 50Hz.	41 kg.	0.36 m ³	
	PSM 20 TF	0840.00020.01	ELEC	510	820	1070	0.75 kW	20 kg.	400V 3NPE / 50Hz.	71 kg.	0.6 m ³	
	PSM 30 TF	0840.00030.01	ELEC	600	920	1130	1.5 kW	30 kg.	220V NPE / 50Hz.	97 kg.	0.94 m ³	



PSM 10
Filter Potato Peeler



PSM 20
Filter Potato Peeler



PSM 30
Filter Potato Peeler

- Stainless steel body
- Timer stops the machine automatically when adjusted time is over
- Compatible with HACCP requirements
- The engine is thermic protected
- Evacuation from the front lid
- It peels and washes the potatoes automatically Evacuation from the front lid.
- PSM 10 model peels 10 kg. potatoes per minute,
PSM 20 model peels 20 kg. potatoes per minute
PSM 30 model peels 30 kg. potatoes per minute

	TYPE	CODE	MODEL	L	W	H	POWER	CAP. Lt.	VOL.	WEI.	m ³	PRICE
	PSM 10 TF	0840.00010.21	ELEC	400	720	1300	0.75 kW	10 kg.	400V 3NPE / 50Hz.	67 kg.	0.48 m ³	
	PSM 20 TF	0840.00020.21	ELEC	510	820	1470	0.75 kW	20 kg.	400V 3NPE / 50Hz.	97 kg.	0.80 m ³	
	PSM 30 TF	0840.00030.21	ELEC	600	920	1530	1.5 kW	30 kg.	220V NPE / 50Hz.	117 kg.	1.04 m ³	



EDM 3613
Bread Slicer Machine

- Bread slice thickness is 13 mm
- Bread contacting surfaces are made of stainless steel
- Easy to transport with carrying handles wheels
- Adjustable pressing system according to height of bread
- Thanks to adjustment lever cuts bread without breaking into pieces
- Bread machine automatically stops after slicing process
- The body electrostatic coated.

TYPE	CODE	MODEL	L	W	H	POWER	CAP.	VOL.	WEI.	m ³	PRICE
 EDM 3613	0830.03613.00	ELEC	650	750	1050	0.37 kW		240V NPE / 50Hz.	120 kg.	0.75 m ³	



SKM 4035
Salad and Vegetable Dryers



- Stainless steel body
- Time adjustable and thermic protected
- Machine is automatically stopped, when the cover is opened
- Easy to use and clean
- Vegetables are completely dried within a few seconds.

TYPE	CODE	MODEL	L	W	H	POWER	Basket Hacmi	Basket Çapı(mm)	Basket Derinliği (mm)	VOL.	WEI.	m ³	PRICE
 SKM 4035	0840.40035.01	ELEC	510	750	1100	0.55 kW	40 lt	400		400V 3NPE / 50Hz.	57 kg.	0.60 m ³	



OSY



TÜV-CB

Vegetable Washing Machine Without Drying



- Stainless steel body
- Washing capacity is 4-6 kg/hour for leaf vegetables and 10-15 kg/hour for root vegetables.
- Washing tank is completely stainless steel.
- Washing tank specially designed for easy cleaning and straining. Equipped with overflow pipe.
- Washing pump is made of special plastic material to prevent corrosion and chemical reactions.
- It is also equipped with limited timer (for drying).

Technical Features	OSY
Code	0720.00057.00
Electricity connection	230 V NPE / 50Hz.
Total load	0.66 kw
Washing (Leaf vegetables)	4-6 kg
Washing (Heavy vegetables, fruits and frozen food)	10-15 kg
Cleaning time	3-4 dakika
Drying (Leaf vegetables)	-
Drying (Heavy vegetables, fruits and frozen food)	-
Total water consumption	85 lt
Water inlet connection	Ø 3/4 "
Water outlet	Ø 1 1/4 "
Spin dryer motor speed (rpm)	-
Washing drum capacity	97 lt
Max. noise	85 dBA
Gross weight	59 (±2) kg
Dimensions (LxWxD)	700x700x850 mm
Protection class	IPX5
Price	



OSYMS



Vegetable Washing Machine With Drying



- Stainless steel body
- Washing capacity is 4-6 kg/hour for leaf vegetables and 10-15 kg/hour for root vegetables.
- Washing tank is completely stainless steel.
- Washing tank specially designed for easy cleaning and straining. Equipped with overflow pipe.
- Washing pump is made of special plastic material to prevent corrosion and chemical reactions.
- Equipped with limit timer (for drying).

Technical Features	OSYMS
Code	0720.00057.03
Electric connection	400 V 3NPE / 50Hz.
Total power	1 kw
Washing (Leaf vegetables)	4-6 kg
Washing (Heavy vegetables, fruits and frozen food)	10-15 kg
Cleaning time	3-4 dakika
Drying (Leaf vegetables)	1.5-2 kg
Drying (Heavy vegetables, fruits and frozen food)	4-6 kg
Total water consumption	85 lt
Water inlet connection	Ø 3/4 "
Water outlet	Ø 1 1/4 "
Spin dryer motor speed (rpm)	910 d/dk.
Washing drum capacity	97 lt
Max. noise	85 dBA
Gross weight	80(±2) kg
Dimensions (LxWxD)	700x1000x850 mm
Protection class	IPX5
Price	